

Toltec Mesa Resources LLC

7823 Quintana Dr. NE, Albuquerque, New Mexico | (505)238-4770 | newcomer.b.tmr@gmail.com

March 8, 2024

Samantha Rynas
Reclamation Specialist
Mining Act Reclamation Program (MARP)
Mining and Minerals Division – EMNRD
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

sent via email only

RE: Reclamation Report, Cebolleta Exploration Project, Permit No. CI018EM, Cibola County, NM

Dear Sam:

On behalf of Cibola Resources LLC (Cibola), we are submitting this Reclamation Report for the Cebolleta Exploration Project, Permit No. CI018EM. The purpose of this report is to summarize Cibola's exploration and reclamation activities as well as future plans. This is being provided for clarity following your site inspection on March 5, 2024 as well as the online meeting with D.J. Ennis and Carmen Rose on February 5, 2024. This is not intended to be a termination report.

Exploration drill holes were completed at 21 of the 22 permitted locations from August through November 2023. Access conditions during this timeframe were generally good albeit with some minor delays caused by monsoonal moisture. Expected surface disturbance was caused by drilling and support equipment along most overland access routes and at individual drilling locations. Disturbance was minimized to the extent practicable and closely matched the estimates in the permit application. No exploration activities occurred outside the biological and cultural clearance zones.

The depths of each drill hole varied more than anticipated due to discontinuity of mineralization, the gentle dip of the strata, and topography. For future drilling proposals, Cibola will overestimate drilling depths to account for this uncertainty. Stratigraphy encountered was mostly comprised of dark gray, marine shales of the Cretaceous Mancos Shale, followed by a thin bed of white-gray Cretaceous Dakota Sandstone that unconformably contacted bleached-white Jurassic Jackpile Sandstone. Mineralized material was moved to offsite storage and unmineralized cuttings were managed at the site and incorporated into the surface reclamation. When used, drilling mud was fully contained in a closed loop system using a portable recycling tank. No mud pits were utilized.

At times, down-hole drilling conditions were challenging at both near-surface intervals and in the Jackpile Sandstone, which proved to be softer, and less cemented than anticipated. Consequently, a few locations required multiple attempts. In these instances, the first attempt was plugged and abandoned per the permit specifications and a second attempt was initiated near first. No additional surface disturbance occurred in these instances. All footage was plugged and abandoned in accordance with specifications in the permit and the Office of the State Engineer (OSE). Monuments were placed at the top of each attempt and closure reports of successful holes were completed by the drilling contractor and provided to OSE (see enclosures).

Following our online meeting with D.J. Ennis and Carmen Rose on February 5, 2024, Cibola resolved to complete reclamation of all surface disturbance during the month of February 2024. To ensure successful seed germination, Cibola elected to exceed the hand-broadcast requirements of the permit and drill-seeded all disturbed areas,

preceded by disking hard-packed areas or where the pre-existing vegetation was too damaged to regrow. After drill-seeding, all areas were dragged with a chain harrow behind an ATV. Select areas were followed up with hand-broadcast seeding and hand-raking as needed.

Based on availability from Southwest Seed, Inc. in Dolores, Colorado, the seed mix was slightly altered from the original permit. The alteration was approved by Carmen Rose on February 9, 2024 and consisted of the following:

Species	lbs/acre
Alkali Sacaton Salado	2
Western Wheatgrass Arriba	16
Galleta Viva	4
Blue Grama Hachita	3
Bottlebrush Squirreltail	5
Spike Dropseed	2
Fourwing Saltbush	1
Winterfat	1

The application rate is approximately double the recommended hand-broadcast rate. However, considering aridity and wind conditions, Cibola elected to use this same high application rate with the drill-seeder. Cibola purchased 5-acres of the seed mix, which was pre-mixed and packaged in 1-acre allotments, enabling an easy calculation for application. In total, approximately 3.5 sacks (equal to 3.5 acres) were applied via the drill-seeder and a remaining half-sack was applied liberally via hand-broadcast in select areas. A copy of the original Seed Mix Analysis from Southwest Seed is provided below:

Southwest Seed, Inc. 13514 Road 29 Dolores, CO 81323 Phone: 970-565-8722		Custom Bulk Seed Mixture Analysis																
		LOT NO: 2024.0029					2/14/2024											
		Species: CIBOLA RESOURCES					Variety: CEBOLLETA											
Lot No	Species	Variety	CL	OR	PURE	INERT	CROP	WEED	Rstr	Nox	Live	PLS	Test Date	Bulk LBS	PLS LBS	Pure %		
2019.0089	SQUIRRELTAIL BOTTLEBRUSH	PUEBLO	S	WA	97.09	2.91	0.00	0.00	NF	NF	90	87.38	03/28/23	28.61	25	12.75		
2019.0670	SPIKE DROPSEED	COCHISE		CO	98.48	0.84	0.00	0.68	NF	NF	97	95.53	05/01/23	10.47	10	4.73		
2020.0472	ALKALI SACATON	SALADO	C	CO	99.02	0.49	0.33	0.16	NF	NF	88	87.14	06/16/23	11.48	10	5.22		
2022.0579	BLUE GRAMA	HACHITA	C	CO	89.35	10.65	0.00	0.00	NF	NF	98	87.56	01/29/24	17.13	15	7.03		
2022.0592	WESTERN WHEATGRASS	ARRIBA	C	CO	98.30	1.70	0.00	0.00	NF	NF	83	81.59	03/14/23	98.05	80	44.25		
2023.0494	GALLETA	VIVA		TX	65.32	33.75	0.93	0.00	NF	NF	85	55.52	08/16/23	36.02	20	10.80		
2023.0676	FOURWING SALTBUSH	VNS		NM	84.79	0.00	15.21	0.00	NF	NF	92	78.01	06/20/23	6.41	5	2.49		
2024.0032	WINTERFAT	VNS		UT	94.18	5.82	0.00	0.00	NF	NF	55	51.80	01/12/24	9.65	5	4.17		
Pure: 91.45%			Inert: 7.89%			Crop: 0.62%			Weed: 0.04%			Total: 100.00%			Grand Total		217.82	170.00
REMARK: 5 BAGS. EACH BAG CONTAINS 43.56 BLK LBS (34 PLS LBS) TO SEED ONE ACRE BROADCAST																		
Noxious Weeds (seeds/lb)																		
<small>NOTICE TO BUYER - EXCLUSION OF WARRANTY AND LIMITATION: We warrant that the seed sold has been labeled as required in the State and Federal Seed Laws, and that it conforms to the label description within tolerances recognized by law. NO OTHER WARRANTY IS MADE, expressed or implied, INCLUDING without limitation, THE MERCHANTABILITY, THE PERFORMANCE OF THE CROP AS TO YIELD OR QUALITY, OR THE FITNESS FOR PARTICULAR PURPOSES. It is expressly agreed that the liability to the buyer or others from any type of loss shall be limited solely to the amount of the purchase price of the seed. Seed not accepted on the above terms and conditions may be returned to the place of purchase in the unopened containers within 10 days. Under the "Colorado Seed Act" arbitration is required as a prerequisite to certain legal actions, counterclaims, or defenses against a seller of seed. Information about this requirement may be obtained from the Colorado Commissioner of Agriculture.</small>																		

Upon completion and inspection of the surface reclamation, Cibola is requesting that the Mining and Minerals Division (MMD) make a determination that the surface reclamation is complete. Cibola anticipates needing to conduct future exploration activities under Permit No. CI018EM. Those activities include 1) returning to a few of the previously approved locations for additional drilling, due to the above-mentioned downhole complications; and 2) Cibola may want to add new, nearby drilling locations not previously permitted. We understand either activity will require MMD approval. In anticipation of this potential future work Cibola desires to keep the full Financial Assurance of \$125,000 in place with MMD at this time. Also, Cibola anticipates extending this permit with a formal request prior to the one-year anniversary.

Also, during your site visit on March 5, we visited locations of Cibola's pending second minimal impact proposal, referred to as the North Cebolleta Exploration Project (NCEP). Based on our online meeting on February 5, we understand that MMD will consider NCEP to be a connected action to activities under Permit No. CI018EM. For our own needs, Cibola desires to keep these permits and financial assurance separate but understands MMD will not allow the combined active disturbance under both permits to exceed 5 acres. Therefore, Cibola is requesting

MMD consider disturbance acreage under Permit No. CI018EM to be zero, *or nearly so*, such that NCEP can proceed once approved.

Please let me know if you have any questions, would like additional information or discuss any of this.

Sincerely,

Toltec Mesa Resources LLC

A handwritten signature in black ink, appearing to read 'Bob Newcomer', with a long horizontal flourish extending to the right.

Bob Newcomer
Principal

Attachments: OSE Drill Hole Plug and Abandonment Reports

cc: Mike Thompson, Cibola Resources LLC (via email)
David J. Ennis, MMD Program Manager, MARP (via email)
Kevin Barnes, MMD Reclamation Specialist, MARP (via email)



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
★
COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-10 A3		WELL TAG TAG NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 172	SECONDS 17	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84	
	LONGITUDE 107	318	69	W			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/27/23	DRILLING ENDED 09/27/23	DEPTH OF COMPLETED WELL (FT) 380	BORE HOLE DEPTH (FT) 380	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
			N/A					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	380	5 1/2	neat cement	59	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-10 A3

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/06/23 Date well plugging concluded: 11/06/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 17 sec
Longitude: 107 deg, 318 min, 69 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 380 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	469gals	trimmie	open hole
380					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-9 RLB1		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 172	SECONDS 17	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
	LATITUDE			N	* DATUM REQUIRED: WGS 84	
	LONGITUDE	107	318	58	W	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 09/27/23	DRILLING ENDED 09/27/23	DEPTH OF COMPLETED WELL (FT) 380	BORE HOLE DEPTH (FT) 380	DEPTH . WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:				started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	380	5 1/2	neat cement	59	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB1 POD-9

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/06/23 Date well plugging concluded: 11/06/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 17 sec
Longitude: 107 deg, 318 min, 58 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 380 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	469gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23


Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 8 RLB20		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 172	SECONDS 48	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LATITUDE			N	* DATUM REQUIRED: WGS 84		
	LONGITUDE	107	317	91	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 09/08/23	DRILLING ENDED 09/10/23	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*if using Centralizers for Artesian wells- indicate the spacing below</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	400	5 1/2	neat cement	60	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB20 POD-8

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/04/23 Date well plugging concluded: 11/04/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 48 sec
Longitude: 107 deg, 317 min, 91 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 400 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	493gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICABLE
★
COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 7 RLB23		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	
					STATE CO	
				ZIP 81321		
WELL LOCATION (FROM GPS)		DEGREES 35	MINUTES 172	SECONDS 74	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
		LATITUDE		N	* DATUM REQUIRED: WGS 84	
		LONGITUDE	107	318	25	W
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/11/23	DRILLING ENDED 09/13/23	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
			N/A					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	400	5 1/2	neat cement	60	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB23 POD-7

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/05/23 Date well plugging concluded: 11/05/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 74 sec
Longitude: 107 deg, 318 min, 25 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 400 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	493gals	trimmie	open hole
400					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-17 LJ121		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 171	SECONDS 019	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE 107	314	94	W	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/19/23	DRILLING ENDED 10/19/23	DEPTH OF COMPLETED WELL (FT) 350	BORE HOLE DEPTH (FT) 350	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD		ADDITIVES - SPECIFY: started on air and finished with mud					
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
			N/A					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	350	5 1/2	neat cement	52	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-17 LJ121

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 019 sec
Longitude: 107 deg, 314 min, 94 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 360 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
 360	neat cement	1.234	444gals	trimmie	open hole

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23


Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-18 LJ118		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 170	SECONDS 73	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84		
		LATITUDE 107	LONGITUDE 314	63			N W
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 10/20/23	DRILLING ENDED 10/20/23	DEPTH OF COMPLETED WELL (FT) 350	BORE HOLE DEPTH (FT) 350	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	350	5 1/2	neat cement	52	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-18 LJ118

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 170 min, 73 sec
Longitude: 107 deg, 314 min, 63 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 350 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	432gals	trimmie	open hole
350					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY APPLICANT

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-19 LJ68		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 170	SECONDS 49	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LATITUDE			N	* DATUM REQUIRED: WGS 84		
	LONGITUDE	107	314	65	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/21/23	DRILLING ENDED 10/21/23	DEPTH OF COMPLETED WELL (FT) 350	BORE HOLE DEPTH (FT) 350	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	350	5 1/2	neat cement	52	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-19 LJ68

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 170 min, 49 sec
Longitude: 107 deg, 314 min, 65 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 350 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	432gals	trimmie	open hole
350					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
★
COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-20 LJ111		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 170	SECONDS 18	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
	LONGITUDE 107	314	43	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/22/23	DRILLING ENDED 10/22/23	DEPTH OF COMPLETED WELL (FT) 350	BORE HOLE DEPTH (FT) 350	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD		ADDITIVES - SPECIFY: started on air and finished with mud					
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
			N/A					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	350	5 1/2	neat cement	52	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-20 LJ111

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 170 min, 18 sec
Longitude: 107 deg, 314 min, 43 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 350 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	432gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



 Signature of Well Driller

11-9-23

 Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY
APPLICABLE

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-21 LJ29		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	LATITUDE	DEGREES 35	MINUTES 170	SECONDS 18	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
	LONGITUDE	107	313	96	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/22/23	DRILLING ENDED 10/22/23	DEPTH OF COMPLETED WELL (FT) 330	BORE HOLE DEPTH (FT) 330	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
			N/A					

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	330	5 1/2	neat cement	46	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-21 LJ29

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321


APPLICANT COPY

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/09/23 Date well plugging concluded: 11/09/23
- 5) GPS Well Location: Latitude: 35 deg, 170 min, 18 sec
Longitude: 107 deg, 313 min, 96 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 330 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	407gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
★
COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-22 LJ31		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 170	SECONDS 18	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84
	LONGITUDE 107	313	61	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/28/23	DRILLING ENDED 11/01/23	DEPTH OF COMPLETED WELL (FT) 360	BORE HOLE DEPTH (FT) 360	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	360	5 1/2	neat cement	53	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-22 LJ31

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321

APPLICANT
★
COPY

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/09/23 Date well plugging concluded: 11/09/23
- 5) GPS Well Location: Latitude: 35 deg, 170 min, 18 sec
Longitude: 107 deg, 313 min, 61 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 360 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	444gals	trimmie	open hole
360					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
*
COPY

I. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 7 RLB23		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	LATITUDE	DEGREES 35	MINUTES 172	SECONDS 74	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE	107	318	25	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/11/23	DRILLING ENDED 09/13/23	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES – SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER – SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	400	5 1/2	neat cement	60	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB23 POD-7

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/05/23 Date well plugging concluded: 11/05/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 74 sec
Longitude: 107 deg, 318 min, 25 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 400 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	493gals	trimmie	open hole
400					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 2 LJ25		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 168	SECONDS 56	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE 107	312	6	W	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/05/23	DRILLING ENDED 09/07/23	DEPTH OF COMPLETED WELL (FT) 300	BORE HOLE DEPTH (FT) 300	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	300	5 1/2	neat cement	48	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 LJ25

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321

APPLICANT COPY

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/03/23 Date well plugging concluded: 11/03/23
- 5) GPS Well Location: Latitude: 35 deg, 168 min, 56 sec
Longitude: 107 deg, 312 min, 6 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 300 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	370gals	trimmie	open hole
300					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 1 LJ5		WELL TAG NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	LATITUDE	DEGREES 35	MINUTES 168	SECONDS 52	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE	107	311	91	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 09/08/23	DRILLING ENDED 09/10/23	DEPTH OF COMPLETED WELL (FT) 320	BORE HOLE DEPTH (FT) 320	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	300	5 1/2	neat cement	50	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 LJ5 POD-1

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/04/23 Date well plugging concluded: 11/04/23
- 5) GPS Well Location: Latitude: 35 deg, 168 min, 52 sec
Longitude: 107 deg, 311 min, 91 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: _____ ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	395gals	trimmie	open hole
300					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23


Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-16 LJ124		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO 81321 ZIP
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 171	SECONDS 29	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
	LATITUDE			N	* DATUM REQUIRED: WGS 84	
	LONGITUDE	107	315	24	W	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 10/18/23	DRILLING ENDED 10/18/23	DEPTH OF COMPLETED WELL (FT) 360	BORE HOLE DEPTH (FT) 360	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:				started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	360	5 1/2	neat cement	55	trimmie

FOR OSE INTERNAL USE			WR-20 WELL RECORD & LOG (Version 09/22/2022)		
FILE NO.	POD NO.	TRN NO.			



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-16 LJ124

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 29 sec
Longitude: 107 deg, 315 min, 24 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 360 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	444gals	trimmie	open hole

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us



1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-14 LJ126		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 171	SECONDS 9	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LATITUDE			N	* DATUM REQUIRED: WGS 84		
	LONGITUDE	107	315	55	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331	NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling			
	DRILLING STARTED 10/18/23	DRILLING ENDED 10/18/23	DEPTH OF COMPLETED WELL (FT) 380	BORE HOLE DEPTH (FT) 380	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	380	5 1/2	neat cement	58	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-14 LJ126

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 9 sec
Longitude: 107 deg, 315 min, 55 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 380 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	469gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



 Signature of Well Driller

11-9-23

 Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT'S COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-13 A12		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	
					STATE CO	
				ZIP 81321		
WELL LOCATION (FROM GPS)		DEGREES 35	MINUTES 171	SECONDS 63	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
				N		
				* DATUM REQUIRED: WGS 84		
		LONGITUDE 107		316		
				93		
				W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/08/23		DRILLING ENDED 10/08/23		DEPTH OF COMPLETED WELL (FT) 390		BORE HOLE DEPTH (FT) 390	
							DEPTH WATER FIRST ENCOUNTERED (FT) N/A	
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A		
						DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD					ADDITIVES – SPECIFY: started on air and finished with mud		
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER – SPECIFY:						CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>	
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	390	5 1/2	neat cement	58	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-13 A12

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/07/23 Date well plugging concluded: 11/07/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 63 sec
Longitude: 107 deg, 316 min, 93 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 390 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	481 gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY APPLICATION

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-15 A27		WELL TAG ID NO.		OSE FILE NO(S) RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	
					STATE CO	
					ZIP 81321	
WELL LOCATION (FROM GPS)		DEGREES 35	MINUTES 171	SECONDS 08	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
		LATITUDE		N	* DATUM REQUIRED: WGS 84	
		LONGITUDE	107	315	57	W
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/17/23		DRILLING ENDED 10/18/23		DEPTH OF COMPLETED WELL (FT) 380		BORE HOLE DEPTH (FT) 380	
					DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A	
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD					ADDITIVES - SPECIFY: started on air and finished with mud		
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	380	5 1/2	neat cement	58	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-12 A8

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/08/23 Date well plugging concluded: 11/08/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 08 sec
Longitude: 107 deg, 315 min, 57 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 380 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	469gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



 Signature of Well Driller

11-9-23

 Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY APPLICANT

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-12 A8		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414	
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924	
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	
					STATE CO	
					ZIP 81321	
WELL LOCATION (FROM GPS)		DEGREES 35	MINUTES 171	SECONDS 9	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
		LATITUDE		N	* DATUM REQUIRED: WGS 84	
		LONGITUDE	107	315	55	W
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE						

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/08/23	DRILLING ENDED 10/09/23	DEPTH OF COMPLETED WELL (FT) 390	BORE HOLE DEPTH (FT) 390	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*if using Centralizers for Artesian wells- indicate the spacing below</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	390	5 1/2	neat cement	58	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-12 A8

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/07/23 Date well plugging concluded: 11/07/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 9 sec
Longitude: 107 deg, 315 min, 55 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 390 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	481gals	trimmie	open hole
390					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.



Signature of Well Driller

11-9-23

Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY APPLICATION

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-11 A7		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE ZIP CO 81321	
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 171	SECONDS 89	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84	
		LATITUDE	107	316	69 W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 10/06/23	DRILLING ENDED 10/07/23	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED) <i>Centralizer info below</i>				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacings below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	400	5 1/2	neat cement	61	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-11 A7

Well owner: Cibola Resources LLC


Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez

State: CO

Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/06/23 Date well plugging concluded: 11/06/23
- 5) GPS Well Location: Latitude: 35 deg, 171 min, 89 sec
Longitude: 107 deg, 316 min, 69 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 400 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	493gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
 ★
 COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-6 RLB4		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 172	SECONDS 17	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LATITUDE			N	* DATUM REQUIRED: WGS 84		
	LONGITUDE	107	318	58	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/26/23	DRILLING ENDED 09/27/23	DEPTH OF COMPLETED WELL (FT) 390	BORE HOLE DEPTH (FT) 390	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED) Centralizer info below				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE- RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	390	5 1/2	neat cement	59	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 POD-6 RLB4

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321




II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/06/23 Date well plugging concluded: 11/06/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 17 sec
Longitude: 107 deg, 318 min, 58 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 390 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	481 gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

COPY APPLICANT

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD-5 RLB18		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	DEGREES 35	MINUTES 172	SECONDS 44	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LATITUDE			N	* DATUM REQUIRED: WGS 84		
	LONGITUDE	107	318	59	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 09/24/23	DRILLING ENDED 09/26/23	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED) Centralizer info below				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED N/A		
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	400	5 1/2	neat cement	60	trimmie



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC


I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB18 POD-5

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321



II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/05/23 Date well plugging concluded: 11/05/23
- 5) GPS Well Location: Latitude: 35 deg, 172 min, 44 sec
Longitude: 107 deg, 318 min, 59 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 400 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	neat cement	1.234	493gals	trimmie	open hole
400					

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

APPLICANT
★
COPY

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD 4 RLB83		WELL TAG ID NO.		OSE FILE NO(S). RG-A1414		
	WELL OWNER NAME(S) Cibola Resources, LLC				PHONE (OPTIONAL) 970-426-2924		
	WELL OWNER MAILING ADDRESS 18032 Road G				CITY Cortez	STATE CO	ZIP 81321
	WELL LOCATION (FROM GPS)	LATITUDE	DEGREES 35	MINUTES 168	SECONDS 73	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
	LONGITUDE	107	314	54	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							

2. DRILLING & CASING INFORMATION	LICENSE NO. WD-331		NAME OF LICENSED DRILLER Joel H Stewart			NAME OF WELL DRILLING COMPANY Stewart Brothers Drilling		
	DRILLING STARTED 08/22/23		DRILLING ENDED 08/31/23	DEPTH OF COMPLETED WELL (FT) 270		BORE HOLE DEPTH (FT) 270	DEPTH WATER FIRST ENCOUNTERED (FT) N/A	
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A		DATE STATIC MEASURED N/A	
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD				ADDITIVES - SPECIFY: started on air and finished with mud core hole			
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*if using Centralizers for Artesian wells- indicate the spacing below</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
	0	270	5 1/2	neat cement	45	trimmie

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
----------	---------	---------



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: RG-A1414 RLB83

Well owner: Cibola Resources LLC Phone No.: 970-426-2924

Mailing address: 18032 Road G

City: Cortez State: CO Zip code: 81321


CO APPLICANT COPY

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Stewart Brothers Drilling
- 2) New Mexico Well Driller License No.: WD-331 Expiration Date: Aug 31, 2024
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Joel H Stewart - Pedro Pizano
- 4) Date well plugging began: 11/03/23 Date well plugging concluded: 11/03/23
- 5) GPS Well Location: Latitude: 35 deg, 168 min, 73 sec
Longitude: 107 deg, 314 min, 54 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 270 ft below ground level (bgl),
by the following manner: tagging
- 7) Static water level measured at initiation of plugging: N/A ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: Aug 28, 23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
 270	neat cement	1.234	333gals	trimmie	open hole

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Pedro Pizano, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

11-9-23
Date