

Client Sample ID	Lab Sample ID	Collection Date	Analyte Name	Result	Units	Qualifier	Report Limit	MCL	Method	Report Name	Matrix	Begin Depth	End Depth	Date Received	Analysis Date
SWM #6	H20030447-001	3/23/2020 09:00:00	No. 230 (63 um), Retained	4.4	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 13:08:45
SWM #6	H20030447-001	3/23/2020 09:00:00	Pan	95.6	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 13:08:45
SWM #6	H20030447-001	3/23/2020 09:00:00	pH	8.4	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 11:40:16
SWM #6	H20030447-001	3/23/2020 09:00:00	pH Measurement Temp	11.8	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 11:40:16
SWM #6	H20030447-001	3/23/2020 09:00:00	Conductivity @ 25 C	7810	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 11:40:16
SWM #6	H20030447-001	3/23/2020 09:00:00	Solids, Total Suspended TSS @ 105 C	13	mg/L	--	2	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 14:14:22
SWM #6	H20030447-001	3/23/2020 09:00:00	Solids, Total Settleable	ND	mL/L	--	0.50	--	A2540 F	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 14:47:06
SWM #6	H20030447-001	3/23/2020 09:00:00	Solids, Total Dissolved TDS @ 180 C	7110	mg/L	D	100	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 14:07:54
SWM #6	H20030447-001	3/23/2020 09:00:00	Alkalinity, Total as CaCO3	320	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 17:08:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Bicarbonate as HCO3	380	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 17:08:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Carbonate as CO3	6	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 17:08:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Hydroxide as OH	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 17:08:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Chloride	333	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/25/2020 15:47:21
SWM #6	H20030447-001	3/23/2020 09:00:00	Sulfate	4450	mg/L	D	2	--	E300.0	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/25/2020 15:47:21
SWM #6	H20030447-001	3/23/2020 09:00:00	Sodium Adsorption Ratio (SAR)	9.52	unitless	--	0.01	--	Calculation	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 07:31:00
SWM #6	H20030447-001	3/23/2020 09:00:00	Fluoride	0.9	mg/L	--	0.1	4	A4500-F C	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 13:06:21
SWM #6	H20030447-001	3/23/2020 09:00:00	Hardness as CaCO3	2710	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 07:31:00
SWM #6	H20030447-001	3/23/2020 09:00:00	Phosphorus, Orthophosphate as P	0.006	mg/L	--	0.005	--	E365.1	NUTRIENTS	Aqueous	0	0	3/24/2020 00:00:00	3/24/2020 15:47:41
SWM #6	H20030447-001	3/23/2020 09:00:00	Aluminum	0.004	mg/L	L	0.003	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Arsenic	0.0006	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Barium	ND	mg/L	--	0.1	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Boron	1.9	mg/L	--	0.1	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 07:31:34
SWM #6	H20030447-001	3/23/2020 09:00:00	Cadmium	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Calcium	399	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 07:31:34
SWM #6	H20030447-001	3/23/2020 09:00:00	Chromium	ND	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Copper	0.0016	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Iron	ND	mg/L	--	0.05	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Lead	ND	mg/L	--	0.0001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Magnesium	415	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/26/2020 07:31:34
SWM #6	H20030447-001	3/23/2020 09:00:00	Manganese	0.019	mg/L	--	0.005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Nickel	0.0447	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Potassium	6.9	mg/L	--	0.5	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Selenium	0.007	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Silver	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:47:55
SWM #6	H20030447-001	3/23/2020 09:00:00	Sodium	1140	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	3/27/2020 07:31:34
SWM #6	H20030447-001	3/23/2020 09:00:00	Zinc	0.002	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 13:58:16
SWM #6	H20030447-001	3/23/2020 09:00:00	Iron	0.43	mg/L	--	0.03	--	E200.8	METALS, TOTAL	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:50:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Manganese	0.047	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:50:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Mercury	0.02	ug/L	--	0.01	--	E245.1	METALS, TOTAL	Aqueous	0	0	3/24/2020 00:00:00	3/25/2020 14:02:21
SWM #6	H20030447-001	3/23/2020 09:00:00	Selenium	0.006	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:50:05
SWM #6	H20030447-001	3/23/2020 09:00:00	Selenium	0.006	mg/L	--	0.001	--	E200.8	METALS, TOTAL RECOVERABLE	Aqueous	0	0	3/24/2020 00:00:00	3/30/2020 19:52:17
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Alpha	26.9	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Alpha precision (±)	39.7	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Alpha MDC	45.1	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Beta	-10	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Beta precision (±)	27.8	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	Gross Beta MDC	47.0	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	3/24/2020 00:00:00	4/07/2020 02:12:39
SWM #6	H20030447-001	3/23/2020 09:00:00	A/C Balance	-2.23	%	--	--	--	A1030 E	DATA QUALITY	Aqueous	0	0	3/24/2020 00:00:00	4/03/2020 07:43:07
SMW #6	H20050496-001	5/26/2020 17:00:00	No. 230 (63 um), Retained	< 0.1	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 10:45:27
SWM #6	H20050496-001	5/26/2020 17:00:00	Pan	100	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 10:45:27
SWM #6	H20050496-001	5/26/2020 17:00:00	pH	8.3	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 12:18:55
SWM #6	H20050496-001	5/26/2020 17:00:00	pH Measurement Temp	16.3	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 12:18:55
SWM #6	H20050496-001	5/26/2020 17:00:00	Conductivity @ 25 C	11200	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 12:18:55
SWM #6	H20050496-001	5/26/2020 17:00:00	Solids, Total Suspended TSS @ 105 C	9	mg/L	--	2	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 14:14:38
SWM #6	H20050496-001	5/26/2020 17:00:00	Solids, Total Settleable	ND	mL/L	--	0.50	--	A2540 F	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 15:31:41
SWM #6	H20050496-001	5/26/2020 17:00:00	Solids, Total Dissolved TDS @ 180 C	11000	mg/L	D	100	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 12:33:23
SWM #6	H20050496-001	5/26/2020 17:00:00	Alkalinity, Total as CaCO3	370	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	5/28/2020 00:00:00	5/31/2020 11:05:05
SWM #6	H20050496-001	5/26/2020 17:00:00	Bicarbonate as HCO3	450	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	5/28/2020 00:00:00	5/31/2020 11:05:05
SWM #6	H20050496-001	5/26/2020 17:00:00	Carbonate as CO3	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	5/28/2020 00:00:00	5/31/2020 11:05:05
SWM #6	H20050496-001	5/26/2020 17:00:00	Hydroxide as OH	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	5/28/2020 00:00:00	5/31/2020 11:05:05
SWM #6	H20050496-001	5/26/2020 17:00:00	Chloride	548	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	5/28/2020 00:00:00	5/28/2020 14:41:22
SWM #6	H20050496-001	5/26/2020 17:00:00	Sulfate</												

SWM #6	H20050496-001	5/26/2020 17:00:00	Silver	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 23:53:28
SWM #6	H20050496-001	5/26/2020 17:00:00	Sodium	1950	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	5/28/2020 00:00:00	6/03/2020 02:58:01
SWM #6	H20050496-001	5/26/2020 17:00:00	Zinc	0.003	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 23:53:28
SWM #6	H20050496-001	5/26/2020 17:00:00	Iron	0.15	mg/L	--	0.03	--	E200.8	METALS, TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/15/2020 15:47:46
SWM #6	H20050496-001	5/26/2020 17:00:00	Manganese	0.043	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 23:57:42
SWM #6	H20050496-001	5/26/2020 17:00:00	Mercury	0.01	ug/L	--	0.01	--	E245.1	METALS, TOTAL	Aqueous	0	0	5/28/2020 00:00:00	5/31/2020 17:53:52
SWM #6	H20050496-001	5/26/2020 17:00:00	Selenium	0.004	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 23:57:42
SWM #6	H20050496-001	5/26/2020 17:00:00	Selenium	0.004	mg/L	--	0.001	--	E200.8	METALS, TOTAL RECOVERABLE	Aqueous	0	0	5/28/2020 00:00:00	6/01/2020 23:59:47
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Alpha	-60	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Alpha precision (±)	38.6	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Alpha MDC	68.9	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Beta	2.2	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Beta precision (±)	29.9	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	Gross Beta MDC	63.3	pCi/L	U	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	5/28/2020 00:00:00	6/11/2020 00:57:18
SWM #6	H20050496-001	5/26/2020 17:00:00	A/C Balance	-3.23	%	--	--	--	A1030 E	DATA QUALITY	Aqueous	0	0	5/28/2020 00:00:00	6/08/2020 16:25:26
SWM#11	H20070804-001	7/27/2020 11:20:00	pH	7.8	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:54:49
SWM#11	H20070804-001	7/27/2020 11:20:00	pH Measurement Temp	15.3	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:54:49
SWM#11	H20070804-001	7/27/2020 11:20:00	Conductivity @ 25 C	301	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:54:49
SWM#11	H20070804-001	7/27/2020 11:20:00	Solids, Total Suspended TSS @ 105 C	22900	mg/L	D	100	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 14:12:11
SWM#11	H20070804-001	7/27/2020 11:20:00	Solids, Total Dissolved TDS @ 180 C	290	mg/L	D	100	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 13:37:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Chloride	4	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:43:54
SWM#11	H20070804-001	7/27/2020 11:20:00	Sulfate	16	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:43:54
SWM#11	H20070804-001	7/27/2020 11:20:00	Fluoride	0.2	mg/L	--	0.1	4	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:43:54
SWM#11	H20070804-001	7/27/2020 11:20:00	Hardness as CaCO3	930	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/05/2020 09:12:49
SWM#11	H20070804-001	7/27/2020 11:20:00	Aluminum	171	mg/L	--	0.1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Calcium	267	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Iron	159	mg/L	D	0.06	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Magnesium	64	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Potassium	57	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#11	H20070804-001	7/27/2020 11:20:00	Sodium	29	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:58:46
SWM#7	H20070804-002	7/27/2020 13:30:00	pH	8.5	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:57:04
SWM#7	H20070804-002	7/27/2020 13:30:00	pH Measurement Temp	14.8	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:57:04
SWM#7	H20070804-002	7/27/2020 13:30:00	Conductivity @ 25 C	281	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:57:04
SWM#7	H20070804-002	7/27/2020 13:30:00	Solids, Total Suspended TSS @ 105 C	3480	mg/L	D	100	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 14:12:36
SWM#7	H20070804-002	7/27/2020 13:30:00	Solids, Total Dissolved TDS @ 180 C	250	mg/L	D	100	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 13:38:14
SWM#7	H20070804-002	7/27/2020 13:30:00	Chloride	10	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:58:20
SWM#7	H20070804-002	7/27/2020 13:30:00	Sulfate	43	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:58:20
SWM#7	H20070804-002	7/27/2020 13:30:00	Fluoride	0.5	mg/L	--	0.1	4	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:58:20
SWM#7	H20070804-002	7/27/2020 13:30:00	Hardness as CaCO3	219	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/05/2020 09:12:49
SWM#7	H20070804-002	7/27/2020 13:30:00	Aluminum	90.3	mg/L	--	0.1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#7	H20070804-002	7/27/2020 13:30:00	Calcium	56	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#7	H20070804-002	7/27/2020 13:30:00	Iron	71.5	mg/L	D	0.06	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#7	H20070804-002	7/27/2020 13:30:00	Magnesium	19	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#7	H20070804-002	7/27/2020 13:30:00	Potassium	16	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#7	H20070804-002	7/27/2020 13:30:00	Sodium	45	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:02:26
SWM#6	H20070804-005	7/27/2020 14:20:00	No. 230 (63 um), Retained	8.3	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 15:28:47
SWM#6	H20070804-005	7/27/2020 14:20:00	Pan	91.7	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 15:28:47
SWM#6	H20070804-005	7/27/2020 14:20:00	pH	7.6	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:03:48
SWM#6	H20070804-005	7/27/2020 14:20:00	pH Measurement Temp	15.1	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:03:48
SWM#6	H20070804-005	7/27/2020 14:20:00	Conductivity @ 25 C	1540	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:03:48
SWM#6	H20070804-005	7/27/2020 14:20:00	Solids, Total Suspended TSS @ 105 C	700	mg/L	D	50	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:02:15
SWM#6	H20070804-005	7/27/2020 14:20:00	Solids, Total Settleable	ND	mL/L	H	0.50	--	A2540 F	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:14:36
SWM#6	H20070804-005	7/27/2020 14:20:00	Solids, Total Dissolved TDS @ 180 C	1030	mg/L	DH	50	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	8/03/2020 14:45:58
SWM#6	H20070804-005	7/27/2020 14:20:00	Alkalinity, Total as CaCO3	160	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:28:55
SWM#6	H20070804-005	7/27/2020 14:20:00	Bicarbonate as HCO3	200	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:28:55
SWM#6	H20070804-005	7/27/2020 14:20:00	Carbonate as CO3	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:28:55
SWM#6	H20070804-005	7/27/2020 14:20:00	Hydroxide as OH	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:28:55
SWM#6	H20070804-005	7/27/2020 14:20:00	Chloride	72	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:41:41
SWM#6	H20070804-005	7/27/2020 14:20:00	Sulfate	542	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:41:41
SWM#6	H20070804-005	7/27/2020 14:20:00	Sodium Adsorption Ratio (SAR)	4.63	unitless	--	0.01	--	Calculation	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:26:00
SWM#6	H20070804-005	7/27/2020 14:20:00	Fluoride	0.5	mg/L	--	0.1	4	A4500-F C	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/03/2020 14:52:54
SWM#6	H20070804-005	7/27/2020 14:20:00	Hardness as CaCO3	334	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:26:00
SWM#6	H20070804-005	7/27/2020 14:20:00	Phosphorus, Orthophosphate as P	0.021	mg/L	H	0.005	--	E365.1	NUTRIENTS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:05:06
SWM#6	H20070804-005	7/27/2020 14:20:00	Aluminum	0.012	mg/L	L	0.004	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:02:59
SWM#6	H20070804-005	7/27/2020 14:20:00	Arsenic	0.0020	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:02:59
SWM#6	H20070804-005	7/27/2020 14:20:00	Barium	0.1	mg/L	--	0.1	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:02:59
SWM#6	H20070804-005	7/27/2020 14:20:00	Boron	0.4	mg/L	--	0.1	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:26:36
SWM#6	H20070804-005	7/27/2020 14:20:00	Cadmium	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:02:59
SWM#6	H20070804-005	7/27/2020 14:20:00	Calcium	75.9											

SWM#6	H20070804-005	7/27/2020 14:20:00	Manganese	0.165	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:03:08
SWM#6	H20070804-005	7/27/2020 14:20:00	Mercury	0.08	ug/L	--	0.01	--	E245.1	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/06/2020 14:21:26
SWM#6	H20070804-005	7/27/2020 14:20:00	Selenium	0.002	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:03:08
SWM#6	H20070804-005	7/27/2020 14:20:00	Selenium	0.002	mg/L	--	0.001	--	E200.8	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/10/2020 17:11:44
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Alpha	13.9	pCi/L	--	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Alpha precision (±)	3.5	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Alpha MDC	2.0	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Beta	10.5	pCi/L	--	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Beta precision (±)	2.1	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	Gross Beta MDC	3.3	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#6	H20070804-005	7/27/2020 14:20:00	A/C Balance	-3.66	%	--	--	--	A1030 E	DATA QUALITY	Aqueous	0	0	7/31/2020 00:00:00	8/24/2020 07:29:05
SWM#5	H20070804-006	7/27/2020 16:00:00	No. 230 (63 um), Retained	3.4	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 15:29:06
SWM#5	H20070804-006	7/27/2020 16:00:00	Pan	96.6	wt%-wet	--	0.1	--	SSSA 15-2	SIEVE ANALYSIS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 15:29:06
SWM#5	H20070804-006	7/27/2020 16:00:00	pH	7.6	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:13:56
SWM#5	H20070804-006	7/27/2020 16:00:00	pH Measurement Temp	17.2	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:13:56
SWM#5	H20070804-006	7/27/2020 16:00:00	Conductivity @ 25 C	564	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:13:56
SWM#5	H20070804-006	7/27/2020 16:00:00	Solids, Total Suspended TSS @ 105 C	388	mg/L	D	40	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 14:15:01
SWM#5	H20070804-006	7/27/2020 16:00:00	Solids, Total Settleable	ND	mL/L	H	0.50	--	A2540 F	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 16:14:39
SWM#5	H20070804-006	7/27/2020 16:00:00	Solids, Total Dissolved TDS @ 180 C	445	mg/L	D	50	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	8/03/2020 14:46:21
SWM#5	H20070804-006	7/27/2020 16:00:00	Alkalinity, Total as CaCO3	190	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:35:12
SWM#5	H20070804-006	7/27/2020 16:00:00	Bicarbonate as HCO3	230	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:35:12
SWM#5	H20070804-006	7/27/2020 16:00:00	Carbonate as CO3	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:35:12
SWM#5	H20070804-006	7/27/2020 16:00:00	Hydroxide as OH	ND	mg/L	--	4	--	A2320 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 11:35:12
SWM#5	H20070804-006	7/27/2020 16:00:00	Chloride	6	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:56:09
SWM#5	H20070804-006	7/27/2020 16:00:00	Sulfate	89	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:56:09
SWM#5	H20070804-006	7/27/2020 16:00:00	Sodium Adsorption Ratio (SAR)	1.76	unitless	--	0.01	--	Calculation	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:00
SWM#5	H20070804-006	7/27/2020 16:00:00	Fluoride	0.6	mg/L	--	0.1	4	A4500-F C	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/03/2020 15:01:05
SWM#5	H20070804-006	7/27/2020 16:00:00	Hardness as CaCO3	158	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:00
SWM#5	H20070804-006	7/27/2020 16:00:00	Phosphorus, Orthophosphate as P	0.010	mg/L	H	0.005	--	E365.1	NUTRIENTS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 12:08:09
SWM#5	H20070804-006	7/27/2020 16:00:00	Aluminum	0.010	mg/L	L	0.004	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Arsenic	0.0026	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Barium	ND	mg/L	--	0.1	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Boron	0.1	mg/L	--	0.1	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:31
SWM#5	H20070804-006	7/27/2020 16:00:00	Cadmium	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Calcium	43.9	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:31
SWM#5	H20070804-006	7/27/2020 16:00:00	Chromium	ND	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Copper	0.0085	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Iron	0.09	mg/L	--	0.05	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Lead	0.0003	mg/L	--	0.0001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/21/2020 16:49:24
SWM#5	H20070804-006	7/27/2020 16:00:00	Magnesium	11.8	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:31
SWM#5	H20070804-006	7/27/2020 16:00:00	Manganese	ND	mg/L	--	0.005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Nickel	0.0039	mg/L	--	0.0005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Potassium	14.0	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:31
SWM#5	H20070804-006	7/27/2020 16:00:00	Selenium	0.001	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Silver	ND	mg/L	--	0.00005	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Sodium	50.9	mg/L	--	0.5	--	E200.7	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 23:30:31
SWM#5	H20070804-006	7/27/2020 16:00:00	Zinc	0.002	mg/L	--	0.001	--	E200.8	METALS, DISSOLVED	Aqueous	0	0	7/31/2020 00:00:00	8/19/2020 16:05:02
SWM#5	H20070804-006	7/27/2020 16:00:00	Iron	6.19	mg/L	D	0.06	--	E200.7	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:39:12
SWM#5	H20070804-006	7/27/2020 16:00:00	Manganese	0.149	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:13:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Mercury	0.10	ug/L	--	0.01	--	E245.1	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/06/2020 14:24:40
SWM#5	H20070804-006	7/27/2020 16:00:00	Selenium	0.001	mg/L	--	0.001	--	E200.8	METALS, TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:13:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Selenium	0.001	mg/L	--	0.001	--	E200.8	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 21:15:36
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Alpha	19.6	pCi/L	--	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Alpha precision (±)	7.1	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Alpha MDC	5.9	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Beta	19.7	pCi/L	--	--	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Beta precision (±)	5.9	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	Gross Beta MDC	10.2	pCi/L	--	0	--	E900.0	RADIONUCLIDES - TOTAL	Aqueous	0	0	7/31/2020 00:00:00	8/11/2020 19:26:32
SWM#5	H20070804-006	7/27/2020 16:00:00	A/C Balance	-0.20	%	--	--	--	A1030 E	DATA QUALITY	Aqueous	0	0	7/31/2020 00:00:00	8/24/2020 07:29:34
SWM#5	H20070804-003	7/27/2020 16:15:00	pH	7.3	s.u.	H	0.1	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:59:19
SWM#5	H20070804-003	7/27/2020 16:15:00	pH Measurement Temp	14.7	°C	--	0	--	A4500-H B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:59:19
SWM#5	H20070804-003	7/27/2020 16:15:00	Conductivity @ 25 C	609	umhos/cm	--	1	--	A2510 B	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 11:59:19
SWM#5	H20070804-003	7/27/2020 16:15:00	Solids, Total Suspended TSS @ 105 C	59100	mg/L	D	100	--	A2540 D	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 14:13:08
SWM#5	H20070804-003	7/27/2020 16:15:00	Solids, Total Dissolved TDS @ 180 C	450	mg/L	D	100	--	A2540 C	PHYSICAL PROPERTIES	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 13:38:43
SWM#5	H20070804-003	7/27/2020 16:15:00	Chloride	6	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:12:47
SWM#5	H20070804-003	7/27/2020 16:15:00	Sulfate	85	mg/L	--	1	--	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:12:47
SWM#5	H20070804-003	7/27/2020 16:15:00	Fluoride	0.4	mg/L	--	0.1	4	E300.0	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	7/31/2020 17:12:47
SWM#5	H20070804-003	7/27/2020 16:15:00	Hardness as CaCO3	2190	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/05/2020 09:12:49
SWM#5	H20070804-003	7/27/2020 16:15:00	Aluminum	6											

SWM#3	H20070804-004	7/27/2020 17:15:00	Hardness as CaCO3	375	mg/L	--	1	--	A2340 B	INORGANICS	Aqueous	0	0	7/31/2020 00:00:00	8/05/2020 09:12:49
SWM#3	H20070804-004	7/27/2020 17:15:00	Aluminum	122	mg/L	--	0.1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12
SWM#3	H20070804-004	7/27/2020 17:15:00	Calcium	85	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12
SWM#3	H20070804-004	7/27/2020 17:15:00	Iron	122	mg/L	D	0.06	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12
SWM#3	H20070804-004	7/27/2020 17:15:00	Magnesium	40	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12
SWM#3	H20070804-004	7/27/2020 17:15:00	Potassium	34	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12
SWM#3	H20070804-004	7/27/2020 17:15:00	Sodium	123	mg/L	--	1	--	E200.7	METALS, TOTAL RECOVERABLE	Aqueous	0	0	7/31/2020 00:00:00	8/04/2020 22:17:12